PHILIPPINE BIDDING DOCUMENTS (As Harmonized with Development Partners)

Procurement of INFRASTRUCTURE PROJECTS

Government of the Republic of the Philippines

CONSERVATION AND RESTORATION OF GABALDON SCHOOL BUILDINGS

> Sixth Edition July 2020

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Infrastructure Projects (hereinafter referred to also as the "Works") through Competitive Bidding have been prepared by the Government of the Philippines for use by all branches, agencies, departments, bureaus, offices, or instrumentalities of the government, including government-owned and/or -controlled corporations, government financial institutions, state universities and colleges, local government units, and autonomous regional government. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

The PBDs are intended as a model for admeasurements (unit prices or unit rates in a bill of quantities) types of contract, which are the most common in Works contracting.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract; (ii) the eligibility requirements of Bidders; (iii) the expected contract duration; and (iv) the obligations, duties, and/or functions of the winning Bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Works to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Infrastructure Projects. However, they should be adapted as necessary to the circumstances of the particular Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, BDS, General Conditions of Contract, Special Conditions of Contract, Specifications, Drawings, and Bill of Quantities are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.
- d. The cover should be modified as required to identify the Bidding Documents as to the names of the Project, Contract, and Procuring Entity, in addition to date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

TABLE OF CONTENTS

GLOSSARY	OF TERMS, ABBREVIATIONS, AND ACRONYMS 4
SECTION I.	INVITATION TO BID 7
	I. INSTRUCTIONS TO BIDDERS 10
1.	Scope of Bid 11
2.	Funding Information 11
3.	Bidding Requirements 11
4. E	Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices 11
5. 6.	Eligible Bidders 12 Origin of Associated Goods 12
0. 7.	Subcontracts12
8.	Pre-Bid Conference 12
9.	Clarification and Amendment of Bidding Documents 12
10.	Documents Comprising the Bid: Eligibility and Technical Components 12
11.	Documents Comprising the Bid: Financial Component 13
12.	Alternative Bids 13
13.	Bid Prices 13
14.	Bid and Payment Currencies 13
15.	Bid Security 14
16.	Sealing and Marking of Bids 14
17.	Deadline for Submission of Bids 14
18.	Opening and Preliminary Examination of Bids 14
19. 20.	Detailed Evaluation and Comparison of Bids 15
20. 21.	Post Qualification 15 Signing of the Contract 15
	II. BID DATA SHEET 16
	V. GENERAL CONDITIONS OF CONTRACT 18
1.	Scope of Contract 19
2.	Sectional Completion of Works 19
3.	Possession of Site 19
4.	The Contractor's Obligations 19
5.	Performance Security 20
6.	Site Investigation Reports 20
7.	Warranty 20
8.	Liability of the Contractor 20
9. 10	Termination for Other Causes 20
10. 11.	Dayworks 20 Brogram of Work 21
11. 12.	Program of Work 21 Instructions, Inspections and Audits 21
12.	Advance Payment 21
14.	Progress Payments 21
15.	Operating and Maintenance Manuals 21
	V. SPECIAL CONDITIONS OF CONTRACT 22
SECTION	VI. SPECIFICATIONS 24
	VII. Drawings 26
	VIII. BILL OF QUANTITIES 29
	IX. CHECKLIST OF TECHNICAL AND FINANCIAL DOCUMENTS 35
GECTION	TA. OTLORLIST OF TECHNICAL AND THNANCIAL DOCUMENTS 33

Glossary of Terms, Abbreviations, and Acronyms

ABC – Approved Budget for the Contract.

ARCC – Allowable Range of Contract Cost.

BAC - Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

- BIR Bureau of Internal Revenue.
- **BSP** Bangko Sentral ng Pilipinas.
- **CDA** Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

Contractor – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

CPI – Consumer Price Index.

DOLE – Department of Labor and Employment.

DTI – Department of Trade and Industry.

Foreign-funded Procurement or Foreign-Assisted Project – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PCAB – Philippine Contractors Accreditation Board.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria.

The IB should be incorporated into the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Republic of the Philippines

Department of Education

REGION IX

SCHOOLS DIVISION OF ZAMBOANGA DEL NORTE

INVITATION TO BID

CONSERVATION AND RESTORATION OF GABALDON SCHOOL BUILDINGS

1. The Schools Division of Zamboanga del Norte, through **BEFF CY 2024**, intends to apply the sum of Twenty-Three Million Fifteen Thousand Pesos & 00/100, (P23,015,000.00) for Lot 1 and Twenty-Four Million Fifteen Thousand Pesos & 00/100, (P24,015,000.00) for Lot 2 being the ABC to payments under the contract for **Conservation and Restoration of Gabaldon School Buildings** with Project Identification Nos. **2024-025-CBZN** and **2024-026-CBZN**:

Lot	School Name	Municipality	Scope of Work	No. of Classrooms	Total Cost each School
1	Lapayanbaja ES	Polanco	Conservation and Restoration of Gabaldon School Building with 16KW Solar PV	2	P23,015,000.00
2	Sianib ES Polanco Conservation and Restoration of Gabaldon School Building		Conservation and Restoration of Gabaldon School Building	4	P24,015,000.00
		То		P47,030,000.00	

Bids received in excess of the ABC for the project shall be automatically rejected at bid opening.

- 2. The Schools Division of Zamboanga Del Norte, through the Bids and Awards Committee, now invites bids for the above procurement project. Completion of the Works is required to be **completed within the given schedule**. Bidders should have completed, within three (3) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Biding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least seventy-five percent (75%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from the Schools Division Office of Zamboanga Del Norte and inspect the Bidding Documents at the address given below from 8:00 A.M. to 5:00 P.M.
- 5. A complete set of electronic/soft copy of Bidding Documents may be acquired by interested bidders from **April 24, 2024 to May 15, 2024**, in the given address and website below and pursuant to the latest guidelines issued by the GPPB, and upon payment of a nonrefundable fee for the Bidding Documents in the amount of **Twenty-Five Thousand Pesos (P25,000.00) for Lot 1 and Twenty-Five Thousand Pesos (P25,000.00) for Lot 2.** The Procuring Entity shall allow the bidder to present its proof of payment for the fees either in person, by facsimile, or through electronic means before or upon dropping of proposal.
- 6. The Schools Division of Zamboanga Del Norte will hold a Face-to-Face Pre-Bid Conference on **May 2, 2024 at 3:00 P.M.** at the 4th Floor, New SDO Building, Estaka, Dipolog City, which shall be open to prospective bidders.
- 7. Bids in three (3) copies including the original must be duly received by the BAC Secretariat through manual submission at the office address indicated below before or at exactly **11:00 AM of May 15, 2024**. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on **May 15, 2024 at 3:00 PM** at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. This Procuring Entity reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

ATTY. CHRISTINE JOYCE S. PACO

BAC Secretariat Head DepEd-Zamboanga del Norte 0946-025-6019

13. You may visit www.depedzn.net or e-mail at depedznbac@gmail.com

RAYMOND M. SALVADOR, CESO VI

BAC Chairperson (Infrastructure)

Date of Issue: April 23, 2024

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, *Schools Division of Zamboanga del Norte* invites Bids for the **CONSERVATION AND RESTORATION OF GABALDON SCHOOL BUILDINGS** with Project Identification Number(s) **2024-025-CBZN** and **2024-026-CBZN**.

The Procurement Project (referred to herein as "Project") is for the construction of Works, as described in Section VI (Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for **FY 2024** in the amount of **TWENTY-THREE MILLION FIFTEEN THOUSAND PESOS & 00/100**, (P23,015,000.00) for Lot 1 and **TWENTY-FOUR MILLION FIFTEEN** THOUSAND PESOS & 00/100, (P24,015,000.00) for Lot 2.
- 2.2. The source of funding is:
 - a. NGA, the General Appropriations Act or Special Appropriations

BEFF CY 2024

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA's CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be "similar" to the contract to be bid if it has the major categories of work stated in the **BDS**.

- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.
 - a. The Procuring Entity has prescribed that **Subcontracting is not allowed**.

8. **Pre-Bid Conference**

The Procuring Entity will hold a face-to-face pre-bid conference for this Project on the specified date and time and either at its physical address on May 2, 2024 at 3:00 P.M. at the 4th Floor, New SDO Building, Estaka, Dipolog City as indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section IX. Checklist of Technical and Financial Documents.
- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. A valid PCAB License is required, and in case of joint ventures, a valid special PCAB License, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.
- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

11. Documents Comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

14. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 14.2. Payment of the contract price shall be made in Philippine Pesos.

15. Bid Security

- 15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 15.2. The Bid and bid security shall be valid until **120 days from the date of bid opening**. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

18. Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the IB. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the BDS shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by ITB Clause 15 shall be submitted for each contract (lot) separately.
- 19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Notes on the Bid Data Sheet (BDS)

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

ITB Clause 5.2 For this purpose, contracts similar to the Project refer to contracts which have the same major categories of work, which shall be: **Restoration of Gabaldon Building** 71 Subcontracting is not allowed. PCAB LICENSE CATEGORY B with SP-Electrical Works 10.3 10.4 The key personnel must meet the required minimum years of experience set below: Key Personnel General Experience Minimum Number of Personnel **Electrical Engineer** 1 Electrician 1 Solar PV Installer 1 General Foreman 1 Welder 2 4 Carpenter 8 Helper 4 Mason Painter 4 10.5 The minimum major equipment requirements are the following: Equipment Number of Units Capacity 2 Hand Tools 1 Electric Drill Welding Machine 1 Electric Grinder/Cutter 1 12 N/A 15.1 The bid security shall be in the form of a Bid Securing Declaration or any of the following forms and amounts: The amount of not less than 2% of ABC if bid security is in cash, a. cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; The amount of not less than 5% of ABC if bid security is in Surety Bond. b. 19.2 Partial bids are allowed, as follows: Please refer to paragraph I of the IB for the groupings of lots specifying the items and the quantity. 20 N/A 21 Additional contract documents relevant to the Project that may be required by existing laws and/or the Procuring Entity, such as construction schedule and S-curve, manpower schedule, construction methods, equipment utilization schedule, construction safety and health program approved by the DOLE, and other acceptable tools of project scheduling.

Bid Data Sheet

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Contractor, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

2. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract (SCC)**, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

3. Possession of Site

- 4.1. The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the **SCC**, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.
- 4.2. If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

5. **Performance Security**

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the **SCC** supplemented by any information obtained by the Contractor.

7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the **SCC**.

8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the **SCC**, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines. If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in **ITB** Clause 4.

10. Dayworks

Subject to the guidelines on Variation Order in Annex "E" of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the **SCC**, the Dayworks rates in the Contractor's Bid shall

be used for small additional amounts of work only when the Procuring Entity's Representative has given written instructions in advance for additional work to be paid for in that way.

11. Program of Work

- 11.1. The Contractor shall submit to the Procuring Entity's Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the **SCC**.
- 11.2. The Contractor shall submit to the Procuring Entity's Representative for approval an updated Program of Work at intervals no longer than the period stated in the **SCC**. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity's Representative may withhold the amount stated in the **SCC** from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the **SCC**, subject to the requirements in Annex "E" of the 2016 revised IRR of RA No. 9184.

14. **Progress Payments**

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity's Representative/Project Engineer. Except as otherwise stipulated in the **SCC**, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

15. Operating and Maintenance Manuals

- 15.1. If required, the Contractor will provide "as built" Drawings and/or operating and maintenance manuals as specified in the **SCC.**
- 15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the **SCC** from payments due to the Contractor.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Works procured. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
2	Completion Date: 210 days (each lot) from receipt of Notice to Proceed
4.1	Within 210 days (each lot) after receipt of the Notice to Proceed
6	The site investigation reports are: N/A
7.2	WARRANTY
	For permanent structures, such as buildings of types 4 and 5 as classified under the National Building Code of the Philippines and other structures made of steel, iron, or concrete which comply with relevant structural codes (e.g., DPWH Standard Specifications), such as, but not limited to, steel/concrete bridges, flyovers, aircraft movement areas, ports, dams, tunnels, filtration and treatment plants, sewerage systems, power plants, transmission and communication towers, railway system, and other similar permanent structures: Fifteen (15) years .
10	Dayworks are applicable at the rate shown in the Contractor's original Bid.
11.1	The Contractor shall submit the Program of Work to the Procuring Entity's Representative within [insert number] days of delivery of the Notice of Award. N/A
11.2	The amount to be withheld for late submission of an updated Program of Work is [insert amount]. N/A
13	The amount of the advance payment is [insert amount as percentage of the contract price that shall not exceed 15% of the total contract price and schedule of payment] 15% of the Contract Amount
14	Materials and equipment delivered on the site but not completely put in place shall be included for payment.
15.1	The date by which operating and maintenance manuals are required is [date] = TBD The date by which "as built" drawings are required is [date] = TBD
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is <i>one percent of 1/10</i> of the remaining contract works multiplied by the number of days delayed.

Section VI. Specifications

Notes on Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying or conditioning their Bids. In the context of international competitive bidding, the specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of Bids be ensured, and the subsequent task of bid evaluation facilitated. The specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of specifications from previous similar projects are useful in this respect. The use of metric units is mandatory. Most specifications are normally written specially by the Procuring Entity or its representative to suit the Works at hand. There is no standard set of Specifications for universal application in all sectors in all regions, but there are established principles and practices, which are reflected in these PBDs.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, ports, railways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, although not necessarily to be used in a particular Works Contract. Deletions or addenda should then adapt the General Specifications to the particular Works.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the SCC.

Sample Clause: Equivalency of Standards and Codes


Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that ensure a substantially equal or higher quality than the standards and codes specified will be accepted subject to the Procuring Entity's Representative's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Procuring Entity's Representative at least twenty-eight (28) days prior to the date when the Contractor desires the Procuring Entity's Representative's consent. In the event the Procuring Entity's Representative determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents.


These notes are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final Bidding Documents.


Section VII. Drawings


[Insert here a list of Drawings. The actual Drawings, including site plans, should be attached to this section, or annexed in a separate folder.]


LOT 1: Lapayanbaja ES





















Lot 2: Sianib ES

















Notes on the Bill of Quantities

Objectives

The objectives of the Bill of Quantities are:

- a. to provide sufficient information on the quantities of Works to be performed to enable Bids to be prepared efficiently and accurately; and
- b. when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

Daywork Schedule

A Daywork Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Entity of the realism of rates quoted by the Bidders, the Daywork Schedule should normally comprise the following:

- a. A list of the various classes of labor, materials, and Constructional Plant for which basic daywork rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor will be paid for work executed on a daywork basis.
- b. Nominal quantities for each item of Daywork, to be priced by each Bidder at Daywork rates as Bid. The rate to be entered by the Bidder against each basic Daywork item should include the Contractor's profit, overheads, supervision, and other charges.

Provisional Sums

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the SCC should state the manner in which they will be used, and under whose authority (usually the Procuring Entity's Representative's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Procuring Entity to select such specialized contractors. To provide an element of competition

among the Bidders in respect of any facilities, amenities, attendance, etc., to be provided by the successful Bidder as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

Signature Box

A signature box shall be added at the bottom of each page of the Bill of Quantities where the authorized representative of the Bidder shall affix his signature. Failure of the authorized representative to sign each and every page of the Bill of Quantities shall be a cause for rejection of his bid.

These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final documents.

Lot 1: Lapayanbaja ES

	NAME OF TH	ECONTR	ACTOR					
ADDRESS:								
	PROGRA	M OH	wc	ORKS				
		OF QUAN						
					000			
	GABALDON 2024 - R IX	- ZAMBO	JANGA	DEL NORTE	- 002			
School :	LAPAYANBAJA ELEMENTARY SCHOOL			Date:				
School LD 1	124588			Budget Allocati	001:			
Region :	IX.			Engineering an	d Administrat	ive Overhead:		
Division :	ZAMBOANGA DEL NORTE			Approved Budg		stract:		
Project Title		_		Completion Per				
				Minimum Requ				
	ION / CONSERVATION OF GABALDON SCHOOL BUILDING WITH 4 RICAL WORKS	CLASSRO	OMS	General Foren	nan	Welder		Carpenter
HOLD ELECT				Helper Electrician		Mason Solar PV Insta	lar	Painter
Location :	POLANCO		-	Minimum Requ	ired Equipme			
				Hand Tools	and a particular	Welding Mach	ine	
				Electric Drill		Electric Grinde		
-		%	Unit	Ourseller		t Cost	Adjusted Unit	Adjusta
Item No.	Description	of Total	Unit	Quantity	Total Cost	Unit Cost	Cost	Total Cost
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
			-			(6) / (5)	(9)/(5)	
A	Facilities for the Engineer	-		11.00				
A1	Temporary Facilities		Month	11.00				
B.1	Other General Requirements Fire Safety Inspection Certificate (FSIC)	-	lot	1.00				-
8.2	Permits and Clearances incl Occupancy permit		lot	1.00				
8.3	Demolition, Clearing and Removal of Dilapidated part of the Building		lot	1.00				
SPL1	Project Billboard / Signage	1	Each	1.00				
SPL2	Construction Safety and Health		Month	11.00			2	
C	Mobilization and Demobilization		1					-
C.1	Mobilization and Demobilization		Ls	1.00				
1.0000	Earthworks	-		703.00				-
1 (a) 1 (b)	Clearing and Grubbing Structural Excavation	1	sq m cu m	85.40			1	
1(0)	Backfilling of Excavated Materials		cum	69.12				
1 (d)	Gravel Bed		cum	12.15				
1 (0)	Embankment		cu m	43.92				
	Termite Control Works							
1.(1)	Soil Poisoning		L	72.54			-	-
2.0000	Concreting Works (3000psi)	-		7.68			-	-
2 (b)	Structural Concrete (Footing)		cu m	135.44				
2 (c)	Structural Concrete (Tie Beam, Column, Suspended Slab, Beam)	-	cu m	4.50			-	
2 (h) 3.0000	Ramp on Fill Rebar Works	-	- www.cli	4,50				
3 (a)	Reinforcing Steel Bar, Grade 40		kg	26,697.65				
4.0000	Formworks							
4.(a)	Installation and Removal of Formworks		sq.m	1,244.84				
5.0000	Masonry Works							-
5 (b)	Masonry (100 mm CHB)		sq.m	172.80		-		
	Finishing Works		-	345.60				
5 (d)	Plain Cemont Plaster Finish		m.pe	345.60		-		-
6.0000	Fabricated Materials and Hardware Wooden Panel Door including hardware and fixing accessories	-	sqm	18.00			-	
6 (d)	Door Frames (Jambs, Sill, Head, Transoms, and Mullions)	-	set	4.00				
6 (f) 6 (g)	Window Frames (Jambs, Sill, Head, Transoms, and Mullions)		sot	14.00				
6 (h)	Gapiz Window Panels with wooden frame including hardware, foring		sqm	1020320				
22850	accessories	-				-	-	
6())	Ramp Rall	-	Ls	1.00				-
7.0000	Steel Works	-	kg	6.009.96	-	-		
7 (c)	Structural Steel Roof Truss Structural Steel Purlins		kg	3,843.36		-		
7 (d)	Structural Steel Purlins Metal Structure Accessories (Steel Plates)		kg	271.30		1		
7 (0)	Metal Structure Accessories (Sales Places) Metal Structure Accessories (Anchor Bolts)	1	pc	140.00				
7(f)								

		%			Direc	t Cost	Adjusted	Adjust
Item No.	Description	of Total	Unit	Quantity	Total Cost	Unit Cost	Unit Cost	Tota
7 (g)	Metal Structure Accessories (Sag Rods)	Total	pc	540.00				
7 (h)	Metal Structure Accessories (Turn Buckle)		pc	36.00				
7 (i)	Metal Structure Accessories (Cross Bracing)		pc	36.00				
8.0000	Roofing Works	_		100.10				
8 (b) 8 (d)	Long-Span Rooling, Corrugated, Pre-Painted, 1220mm x 0.5mm BMT		m.pa m	428.40				
8 (0)	Fabricated Metal Roofing Accessory (Gutter with fascia cover) Fabricated Metal Roofing Accessory (Ridge Rolls/ Flashing)		m	38.00				
12 (d)	Installation of PVC Downspout, Catch Basin & Drain Pipe		Ls	1.00				
9.0000	Ceiling and Carpentry Works				1			
9 (i)	Wooden Walling in Wood Frame including Fretwork design - External Wall		sq.m	196.80				
9()	Wooden Walling in Wood Frame - Internal Wall		sq.m	168.00				
9 (k)	Wooden Ceiling on 2x2" ceiling joist		sq.m	405.72		1		
9 (1)	Fascia Board, Fiber Cement 12mm x 30mm X 2.40m		pc	39.00	1			
9 (i)	Blackboard		sq.m	23.04				
9 (m)	Wooden Baluster (decorative design)		bd ft	353.33				
9 (n)	Wooden Fretwork (decorative design) above Wall / above Baluster in co	rridor	bd ft	589.17			-	-
10.0000	ELECTRICAL WORKS		Ls	1.00				
10 (a)	Conduit, Boxes and Fitting		LS	1.00	-			-
10 (b) 10 (c)	Wires and Wiring Devices Lighting Fidure/ Future		LS	1.00				
10 (c) 10 (d)	Panel Board and Cabinets		LS	1.00				
13.0000	Paint Board and Cadmens							
13 (a)	Masonry Painting		sq.m	171.60				
13 (b)	Wooden Painting (Wall) - Exterior & Interior		sq.m	636.00			Ĵ	
13 (d)	Wooden Painting of Doors, Window frames, balusters & fretwork design including cleaning of Capiz Shells		sq.m	275.20				
13 (e)	Wooden Painting (Ceiling)		m.pa	405.72				
14.0000	TILE WORKS	1.1						
14 (a)	Unglazed Tiles		sq.m	243.00				
16:0000	SCHOOL FURNITURE							-
	Table and Chair			120.00			-	
16 (a)	Single (1) - seater table and chair (Wood and Steel)		set	160.00		-		-
16 (b)	Teacher 's table and chair (Wood and steel)		set	4.00				
K	CONSTRUCTION OF TOILETS & SANITARY WORKS	-	cu m	19.20				
K.1	Excavation Backfilling and Compaction		cum	17.15				
K.2 K.3	Concreting Works		cum	6.49				
K.4	Reinforcing Steel Bar, Grade 40		kg	973.20				
K.5	Installation and Removal of Formworks		sq.m	46.24	6			
K.6	Masonry (100 mm CHB)		sq.m	67.20				
K.7	Doors and Windows		m pa	5.8	3			_
K.8	Ceiling and Carpentry Works		sq.m	48.7				-
K.9	Wooden Painting		sq.m	105.2				
K.10	Tile Works		sq.m	7.8		-		-
K.11	Plumbing Works		Ls	1.0				-
K.12	Electrical Works		-	-		-		-
a	Conduit, Boxes and Fitting		Ls	1.0		-		
b	Wires and Wiring Devices	-	Ls	1.0				-
C	Lighting Fixture/Fixture		LS	1.0				
K.13	1 unit Septic Vault		Lo	1,0				
L	CONSTRUCTION OF POWER HOUSE (Electrical Room-2.00x 1.50	T						
	Earthworks	-	cu m	4.0	0			
LI	Excavation		cu m					
L2	Backfilling and Compaction Concreting Works		cum					
L3 L4	Reinforcing Steel Bar, Grade 40		kg	143.2				
L.4	Installation and Removal of Formworks		sq.m		the second s			
LB	Masonry (100 mm CHB)		sq.m					
L.0	Plastering Works		sq.m		2			
LB	Doors and Windows		sqm	1.0		_		
1.9	Roofing Works		sq.m	13.9				
L.10	Celling and Carpentry Works		sq.m		6	_		_
4.70	Electrical Works						_	_
L.11	Conduit, Boxes and Fitting		Ls	1.0			-	
L12	Wires and Wiring Devices	1	Ls	1.0	00			-
				1.0				

Item No.	Description	%						Direct Cost		Direct Cost		Direct Cost		t Adjusted		Adjusted	Adjusted
L.15		of Total	Unit	Quantity	Total Cost	Unit Cost	Unit Cost	Total Cost									
L.15	Structural Steel Purlins		kg	80.07			COal	COSt									
r 10	Security Grilles for Door Painting Works		sot	1.00													
L 17	Masonry Painting																
L18	Wooden Painting		ng m	34.72													
			sq.m	9.86													
E 10 (0	SUPPLY AND INSTALL OF 2 sets-5KW SOLAR PV SYSTEM	including Testin	ig and C	ommisioning			1										
E 10 (m)	A STATE OF		Lo	1.00													
E 10 (n)	Installation of Solar PV Panets Mounts		Ls	1.00				0									
	Solar PV Modules, Devices and Accessories		Ls	1.00													
E 10 (0)	Batteries and Accessories		Ls	1.00													
E 10 (p)	Grounding System		sot	1.00													
E 10 (r)	Perimeter Solar Lighting System		sat	5.00				-									
M	2 Units CONCRETE STAIR with Handrail						1. 7.2	1									
M.1	Excevation		cu m	19.05													
M.2	Backfilling and Compaction		cu m	15.25													
M.3	Embankment		cu m	18.00													
M.4	Concreting Warks		cu m	5.10													
M.5	Reinforcing Steel Bar, Grade 40		ka	379.01				1									
M.6	Installation and Removal of Formworks		sq.m	20.30													
M.7	Masonry (100 mm CHB)		sq.m	27.60													
M.8	Plastering Works		sq.m	55.20													
M.9	Handrail		Ls	1.00				-									
N	CONCRETE PATHWAY around Building (1.50m wide)			a de la composición de la composicinde la composición de la composición de la compos													
N.1	Embankment		cu m	25.45			1										
N.2	Concreting Works		cu m	14.04	100000000												
N.3	Reinforcing Steel Bar, Grade 40		kg	1,253.70				-									
N.4	Installation and Removal of Formworks		sq.m	6.24		-											
P	CONSTRUCTION OF SCHOOL FLAGPOLE					-	-	-									
P.1	Excavation	1997 (P. 1997)	cu m	2.94													
P.2	Backfilling and Compaction		cu m	2.44				1									
P.3	Concreting Works		cu m	0.74													
P.4	Reinforcing Steel Bar, Grade 40		kg	60.49			+										
P.5	Installation and Removal of Formworks		sq.m	4.40													
	G.I. Pipes including Pulley		Ls	1.00		-											
								-									

Prepared by:

CONTRACTOR

Lot 2: Sianib ES

	NAME OF THE	CONTRAC	TOR					
ADDRESS								
ADDRESS								
	PROGRAM	OFW	OR	KS				
	BILL OF C	UANTIT	IES					
	GABALDON 2024 - R IX - Z	AMBOAN	GA DE	L NORTE - 00	11			
School :	SIANIB ELEMENTARY SCHOOL			Date:			-	
School I.D :	124596			Budget Allocati	ion:	_		
Region :	IX			Engineering an	d Administra		d:	
Division :	ZAMBOANGA DEL NORTE	_	_	Approved Bude Completion Pe		ntract:	_	_
Project Title	2			Minimum Requ		er:		
	ION / CONSERVATION OF GABALDON SCHOOL BUILDING WITH 4 C	LASSROOM	AS .	General Fore		Welder		Carper
AND ELECT	RICAL WORKS			Helper Electrician		Mason Solar PV Ins	taller	Painter
Location :	POLANCO			Minimum Requ	uired Equipme	int:		
				Hand Tools Electric Drill		Welding Ma Electric Grin		
				Electric Drill		Cieculo Ghr	our coller	
1.000		%			Direct	Cost	Adjusted	Adjust
Item No.	Description	of Total	Unit	Quantity	Total Cost	Unit Cost	Unit Cost	Tota Cos
(1)	(2)	(3)	(4)	(5)	(6)	(7) (6) / (5)	(8) (9) / (5)	(9)
A	Facilities for the Engineer					(0)/(0)	(0)1(0)	
A1	Temporary Facilities		Month	11.00				
B	Other General Requirements		Int	1.00	_			-
8.1 8.2	Fire Safety Inspection Certificate (FSIC) Permits and Clearances incl Occupancy permit		lot	1.00		-		
B.2 B.3	Demolition, Clearing and Removal of Dilapidated part of the Building		lot	1.00	1			
SPL1	Project Billboard / Signage		Each					
SPL2	Construction Safety and Health		Mont	n 11.00.				-
C	Mobilization and Demobilization		1.10	1.00				-
C.1 1,0000	Mobilization and Demobilization Earthworks		Ls	1.00				-
1 (a)	Clearing and Grubbing		sq m	703.00				
1 (b)	Structural Excavation		си п					
1 (c)	Backfilling of Excavated Materials		CU II					
1 (d)	Gravel Bedding	-	CU II				-	-
1 (0)	Embankment Termite Control Works	1	cun	30,43				
1.(1)	Soil Poisoning		L	72.54				
2.0000	Concreting Works (3000psi)							-
2 (b)	Structural Concrete (Footing)		cu n			-	-	
2 (0)	Structural Concrete (Tie Beam, Column, Suspended Slab, Beam)		cun				-	-
2 (h) 3.0000	Ramp on Fill Rebar Works	-	cur	4.00				
3 (a)	Reinforcing Steel Bar, Grade 40		kg	27,684.81				
4.0000	Formworks							
4 (0)	Installation and Removal of Formworks		sq.r	n 1,308.84			-	
5.0000	Masonry Works		-	n 172.80				-
5 (b)	Masonry (100 mm CHB) Finishing Works	-	sq.i	112,00				
5 (d)	Plain Coment Plaster Finish	1	sq.	n 345.60				
6.0000	Fabricated Materials and Hardware							
6 (d)	Wooden Panel Door including hardware and fixing accessories	1	sq			_		
6 (f)	Door Frames (Jambs, Sill, Head, Transoms, and Mullions)	-	50		and the second se	-		-
6 (g)	Window Frames (Jambs, Sill, Head, Transons, and Mullions)	-	50					
6 (h)	Capiz Window Panels with wooden frame including hardware, fixing accessories		sq	m 47.60	2			
	Ramp Rail		Li	1.00)			_
60	rearrip rear							
6 (j) 7.0000	Steel Works Structural Steel Roof Truss		K	6,009.96		-	-	

1/3

Immun Description of of of of of of of of of of of of of of of of of of of of of of of of of of of of of of of of of of of of of of of of of of of of of of of<			%	r r	T	Direct	Cost	Adjusted	Adjust
Prob Matrix Bioscher Accesserum (Sine Flams) PD 21.00 Matrix Bioscher Accesserum (Eng Rath) PD 540.00 7.00 Matrix Bioscher Accesserum (Eng Rath) PD 540.00 PD 540.00 7.00 Matrix Bioscher Accesserum (Eng Rath) PD 540.00 PD 540.00 7.00 Matrix Bioscher Accesserum (Eng Rath) PD 540.00 PD 540.00 7.00 Matrix Bioscher Accesserum (Eng Rath) PD 540.00 PD 540.00 7.00 Matrix Bioscher Accesserum (Finder Rath) PD 540.00 PD 540.00 <td< th=""><th>ttem No.</th><th>Description</th><th>of</th><th>Unit</th><th>Quantity</th><th></th><th>A Constant of the local distance of the</th><th>Unit</th><th>Tota</th></td<>	ttem No.	Description	of	Unit	Quantity		A Constant of the local distance of the	Unit	Tota
3.00 Metal Binstays Accessoring (Andre Table) pc 10.00 10.00 3.00 Metal Binstays Accessoring (Tam Backh) pc 26.00 10.00 10.00 Metal Binstays Accessoring (Tam Backh) pc 26.00 10.00 10.00 Metal Binstays Accessoring (Tam Backh) pc 26.00 10.00 10.00 Resting Works pc 26.00 10.00 10.00 Resting Machan Common State (Tam Backh) m 26.00 10.00 10.00 Resting Machan Resting Machan Pc 10.00 <	7 (0)	Metal Structure Accessories (Steel Plates)	10.01	kg	271.30				
7.0) Media Electrican Accessering (Turn Backle) pc 96 96.00		Metal Structure Accessories (Anchor Bolts)			140.00				
7.0) Mail Biolity Accessories (Cross Brancy) pc Pc 960 Accessories 8.10) Lang-lipser Rooting, Comugated, Phy-Parines, 1220ms & 0.5mm BMT Pc, Pd Pc Pc 8.10 Lang-lipser Rooting, Comugated, Phy-Parines, 1220ms & 0.5mm BMT Pc, Pd Pc Pc 8.10 Pc Pc Pc Pc Pc 9.10 Pc Pc Pc Pc		Metal Structure Accessories (Sag Rods)		pc	540.00				
8.000 Reading Works ep 4.23.0 8.100 Comparison Rooting, Comparison & 0.5mm (BMT) ep 4.23.0 8.101 Patrocase Mark Rooting, Conserving Vision Rooting Patronian Rooting Patronian Rooting, Conserving Vision Rooting, Patronian Rooting, Patron	7.(h)			po	and the second se				
B(P) Unspligen Rodrig Corrugated, In-Pranetod, 1220m x 0.5 form (BAT) stym 428.00 Image: Corrugated Rodrig Corrugate Rodrig Plant Rodrig Plant Rodrig Rodrig Plant Rodrig Plant Rodrig Rodrig Plant Rodrig Plan	7 (0			pc	36.00	_			
8.100 rabinate Mark Rodrig Accessory (Using with Facha (using) m 62.00 cells cells <t< td=""><td></td><td></td><td></td><td></td><td>100.10</td><td></td><td></td><td></td><td>-</td></t<>					100.10				-
Byte Pathwares Mail Roofing Accessory (1952) Riding Flathing) m 90.00 Celling and Carporing Model Carlo Mail of Pathwares Celling And Carlo Mail of Pathwares <thceling and="" carlo="" mail="" of="" pathwares<="" th=""> Celli</thceling>			_						-
12 (c) Installation of PhYC Deampool. Cells Bain A Drain Pige 14 100 100 8000 Ceiling and Carpently Works 0									
90000 Celling and Carpenty Works Image: Control of the second se			_		and the second se				-
B Woolen Walling in Wood Frame Inducing Freihen's design 4q.m 198.80 198.80 B Wooden Walling in Wood Frame Internal Wall 6q.m 168.00 1 B Wooden Walling in Wood Frame Internal Wall 6q.m 168.00 1 1 B Pancia Boad, Figure Cement 12mm 30mm X 2.40m pd 32.04 1 1 B (0) Buschboard 6q.m 32.04 1 1 B (0) Buschboard 6q.m 35.33 1 1 B (0) Wooden Balacter (accorative design) abow Wal / above Balacter in contour 10.16 1					1,09				
00 Wail 900 Mode 900 Mode 900 Mode 900 Mode 900 Packa 900				Consult.	400 00	1			
10. Wooden Centry as 28" centry (2em) 9.0 9.00 9.01 Flash Bendy (Taker Centred 12mm x 20mm X 2.40m 9.0 9.00 9.01 Blashbard 9.0 9.00 9.00 9.01 Blashbard 9.01 9.00 9.00 9.01 Wooden Finaturk (decorative design) showe Wal <i>I</i> above Baluater in corrifor Ddl 559.17 9.00 9.00 ELC TRECAL WORKS 1.5 1.00 9.00 9.00 9.00 ELC TRECAL WORKS 1.5 1.00 9.00 9.00 9.00 Wites and Witring Devices 1.5 1.00 9.00 9.00 9.00 Wooden Patting (Wal) - Exterior & Interior 1.5 1.00 9.00	19 (t)			ed m	198.80				
Process Baser, Flow Cennent 12mm x 20mm X 2.40m pp 90.000 100000 100000 100000 100000 100000 100000 1000000 10000000 10000000000 1000000000000000000000000000000000000	9(0)	Wooden Walling in Wood Frame - Internal Wall			diameter and a second sec				
9 (m) Binethandfin (decorative decign) 9 (m) 23.94 9 (m) 9 (m) Vocolam Finaturok (decorative decign) show Wall / show Balunter in corritor 10 ft 559.33 9 (m) 10 (m) ELC TRECAL WORKS 1 1 10000 0 (a) Contal, Borns and Faing 1.5 1.00 1 10 (a) Contal, Borns and Faing 1.5 1.00 1 10 (a) Parell Board and Cabrues 1.5 1.00 1 1 10 (a) Parell Board and Cabrues 1.6 1.00 1 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td>									-
9.10 Wooken Eastance (decorative design) shore Wal / above Baluater in contform Dd1 5599.17 5599.17 9.10 Wooken Frankers (decorative design) shore Wal / above Baluater in contform Dd1 5599.17 5599.17 9.10 Candue, Bours and Pating Ls 100 5599.17 5599.17 9.10 Candue, Bours and Pating Ls 100 5599.17 5599.17 9.10 Moore Marking, Bours and Pating Ls 100 5599.17 5599.17 9.10 Moore Marking, Bours and Pating & Bours and Pating & Bours and Pating & Bours and Pating / Bour			_	_					
9 million Wooder Fritework (description dosign) above Wall / above Baluater in confor bft 599.77 0									-
No.0000 ELECTRICAL WORKS Ls 1000 1000 10 (a) Conduit, Boss and Filing Ls 100 1000 10 (b) Works and Wring Devices Ls 100 1000 10 (b) Devices Ls 100 1000 10 (c) Devices Ls 1000 1000 11 (c) Devices Ls 1000 1000 12 (c) Devices Ls 1000 1000 13 (c) Wooden Paining (Val) - Electric & Interior 19 m 29 m 636.00 1000 13 (c) Wooden Paining (Caling) 1000 100000 10000 10000				-					-
10 (a) Candall, Bases and Filling Ls 1.00 Image: Conduct State St		the second s	U	DOIL	369.17		-		-
One One and Wring Devoe Ls 1.00 10 (B) Upting Fiture Fature Ls 1.00 Image: Comparison of C				14	1.00				
10 (c) Lighting Flature Flature 15 1.00 10 (c) Park Board and Cabrets 1.8 1.00 1 10 (c) Park Board and Cabrets 1.8 1.00 1 10 (c) Park Board and Cabrets 1.8 1.00 1 13 (lo) Masony Parting (VM) - Exterior & Interior 9.4 171.60 1 13 (lo) Modem Parting (VM) - Exterior & Interior 9.4 0.55.00 1 13 (lo) Wooden Parting (Celling) 9.4 275.20 1 1 14 (lo) Unglazed Time 1.00 1				-					
10 (d) Paint Board and Cabinets Ls 1.00 Image: Construction of Cons				-	the second s			1	
11.0000 PARTTINE WORKS Seq. Form Seq. Seq. <thseq.< th=""> <thseq.< th=""> Seq.</thseq.<></thseq.<>		and and the second descent second s			1.00				1
13 (a) Masonry Parting sq.m 17.80 sq.m 17.80 13 (b) Wooden Painting of Dors, Window frames, baluaters & fretwork design including cleaning of Capiz Strete sq.m 275.20 sq.m 275.20 13 (d) Wooden Painting of Dors, Window frames, baluaters & fretwork design including cleaning of Capiz Strete sq.m 275.20 sq.m 275.20 14 000 TLE WORKS sq.m 243.00 sq.m 243.00 sq.m 243.00 sq.m 243.00 sq.m									
0.10*/ 13 (d) Wooden Painting of Dors, Window frames, balustars & fretwork design including cleaning of Cape. Shale 9,m 275.20 13 (e) Wooden Painting of Dors, Window frames, balustars & fretwork design including cleaning of Cape. Shale 5,m 275.20 14.0000 TLE WORKS 5,m 40.0572 1 14.0000 SCHOOL FURNITURE 5,m 23.00 1 16 (a) Single (1) - seet table and chair (Wood and Steel) 5,et 100.00 1 16 (a) Table and Chair (Wood and Steel) 5,et 100.00 1 1 16 (a) Teacher's table and chair (Wood and steel) 5,et 1,et 1 1 1 1 1 1,et 1,et 1 1,et 1 1,et 1,et <td></td> <td></td> <td></td> <td>sq.m</td> <td>171.60</td> <td></td> <td></td> <td></td> <td></td>				sq.m	171.60				
13 (0) Including cleaning of Capiz Shulls 94,00 20,000 13 (e) Wooden Painting (Celling) 94,00 94,00 1 13 (e) Wooden Painting (Celling) 94,00 94,00 1 14 (a) Unglazed Ties 94,00 243,00 1 14 (a) Unglazed Ties 94,00 1 1 16 (a) Single (1) - seater table and chair (Wood and Steel) 64 100,00 1 1 16 (b) Tescher's table and chair (Wood and steel) 64 100,00 1 1 16 (b) Tescher's table and chair (Wood and steel) 64 100,00 1 1 16 (b) Tescher's table and chair (Wood and steel) 64 1	13 (b)	Wooden Painting (Wall) - Exterior & Interior		sq.m	636.00				1
13 (e) Wooden Pairting (Ceiling) sq.m 40572 Image: Ceiling) 14 0000 TLE WORKS sq.m 243.00 Image: Ceiling) Image: Ceili	13 (d)			sq.m	275.20			-	
14 (a) Unglazed Times 9,m 243.00 16 (000) SCHOOL FURNITURE -	13 (c)	Wooden Painting (Ceiling)		sq.m	405.72			-	
10.000 SCHOOL FURNITURE Image: state state is and chair (Wood and Steel) set 100.00 16 (a) Sign(1) - seather table and chair (Wood and Steel) set 100.00 Image: state state is and chair (Wood and steel) set 4.00 Image: state state is and chair (Wood and steel) set 4.00 Image: state state is and chair (Wood and steel) set 4.00 Image: state state is and chair (Wood and steel) set 4.00 Image: state state is and chair (Wood and steel) set 4.00 Image: state									-
Table and Chair M			_	sq.m	243.00			-	-
116 (a) Single (1) - seater table and chair (Wood and Steel) set 100.00 100.00 136 (b) Teacher's table and chair (Wood and Steel) set 4.00 100.00 K CONSTRUCTION OF TOLETS & SANITARY WORKS 0.00 100.00 100.00 K.1 Excavition 0.00 177.15 100.00 100.00 K.2 Backfilling and Compaction 0.00 177.15 100.00 100.00 K.3 Concreding Works sq.m 64.9 100.00 100.00 K.4 Reinforcing Steel Bar, Grade 40 kg. 973.20 100.00 100.00 K.5 Instaliation and Removal of Formworks sq.m 46.24 100.00 100.00 K.6 Masonry (100 mm CHB) sq.m 58.6 100.00 100.00 100.00 K.7 Doors and Windows sq.m 58.6 100.00 <t< td=""><td>16:0000</td><td></td><td></td><td>-</td><td></td><td></td><td></td><td></td><td></td></t<>	16:0000			-					
Structure set 4.00 K CONSTRUCTION OF TOLLETS & SANITARY WORKS 0 0 K.1 Excavation 0.0 m 19.20 0 K.2 Backfilling and Compaction 0.0 m 19.20 0 0 K.3 Concreting Works 0.0 m 17.15 0 0 0 K.4 Rainforcing Steel Bar, Grade 40 kg 973.20 0 0 0 K.5 Installation and Removal of Formworks sq.m 67.20 0 0 0 K.6 Masonry (100 mm CHB) sq.m 67.20 0	124.000	and a strength of the strength		cat	160.00				-
Molecular Note: Struction OF ToILETS & SANTARY WORKS Courn 19.20 K.1 Exclusion curn 19.20 Second S	and the second s						-	-	
K.1 Excavation cum 19.20 Image: Compact Com				301					
K.2 Backfilling and Compaction cu m 17.15 1 K.3 Concreting Works cu m 6.49 1 K.4 Reinforcing Steel Bar, Grade 40 kg 973.20 1 K.5 Instatation and Removal of Formworks 54,m 46.24 1 K.5 Instatation and Removal of Formworks 54,m 46.24 1 K.6 Mascorry (100 mm CHB) 59,m 67.20 1 K.7 Doors and Windows 59,m 5.88 1 1 K.8 Ceiling and Carpentry Works 59,m 67.20 1 1 K.9 Wooden Painting 59,m 6.58 1 1 K.10 Tile Works 69,m 105.28 1 1 K.11 Plumbarg Works Ls 1.00 1				cu m	19.20				
K.3 Concreting Works cum 6.49 K.4 Reinforcing Steel Bar, Grade 40 kg 973.20 1 K.5 Installation and Removal of Formworks 54,m 46.24 1 K.6 Masonry (100 mm CHB) 54,m 67.20 1 K.7 Doors and Windows 54,m 48.72 1 K.8 Ceiling and Carpentry Works 94,m 105.26 1 K.9 Wooden Painting 94,m 105.26 1 K.10 Tile Works 1									
K.4 Reinforcing Steel Bar, Grade 40 kg 973.20 K.5 Installation and Removal of Formworks 54,m 46.24		and second and the second and a second and a second a second a second a second as a		-					
K.5 Installation and Removal of Formworks \$q.m 46.24 K.6 Masony (100 mm CHB) \$q.m 67.20 K.7 Doors and Windows \$q.m 5.88 K.7 Doors and Windows \$q.m 5.88 5.88				kg	973.20				
K.6 Masonry (100 mm CHB) sq.m 67.20 K.7 Doors and Windows sq.m 5.88				sq.m	46.24				
K.7 Doors and Windows sq.m 5.88 K.8 Ceiling and Carpentry Works sq.m 48.72				sq.m				-	
K.8 Ceiling and Carpentry Works sq.m 48.72 K.9 Wooden Painting sq.m 105.28				sqm					
K.9 Wooden Painting 9q.m 105.28 K.10 Tile Works 8q.m 7.84	K.B					-			
K110 Humbing Works Ls 1.00 K112 Electrical Works Ls 1.00 a Conduit, Boxes and Fitting Ls 1.00 b Wires and Wiring Devices Ls 1.00 c Lighting Flature Ls 1.00 c Lighting Flature Ls 1.00 K13 1 unit Septic Vault LS 1.00 L CONSTRUCTION OF POWER HOUSE (Electrical Room-2.00x 1.60m) Image: Construct Tion OF Power HOUSE (Electrical Room-2.00x 1.60m) L Earthworks Image: Construct Tion OF Construct Tion OF Construct Tion OF Power HOUSE (Electrical Room-2.00x 1.60m) Image: Construct Tion OF Power HOUSE (Electrical Room-2.00x 1.60m) L Earthworks Image: Construct Tion OF Power HOUSE (Electrical Room-2.00x 1.60m) Image: Construct Tion OF Power HOUSE (Electrical Room-2.00x 1.60m) L Earthworks Image: Construct Tion OF Power HOUSE (Electrical Room-2.00x 1.60m) Image: Construct Tion OF Power HOUSE (Electrical Room-2.00x 1.60m) L Earthworks Image: Construct Tion OF Power HOUSE (Electrical Room-2.00x 1.60m) Image: Construct Tion OF Power HOUSE (Electrical Room-2.00x 1.60m) L Earthworks Image: Construct Tion OF Power HOUSE (Electrical Room-2.00x 1.60m)	K.9						-	-	
K.12 Ellicitrical Works Ls 1.00 a Conduit, Boxes and Fitting Ls 1.00 b Wires and Wiring Devices Ls 1.00 c Lighting Fidure/ Fidure Ls 1.00 k 1.01 Septic Vault LS 1.00 L CONSTRUCTION OF POWER HOUSE (Electrical Room-2.00x 1.60m) Image: Construct Tion of Power House (Electrical Room-2.00x 1.60m) Image: Construct Tion of Power House (Electrical Room-2.00x 1.60m) L CONSTRUCTION OF POWER HOUSE (Electrical Room-2.00x 1.60m) Image: Construct Tion of Power House (Electrical Room-2.00x 1.60m) L Earthworks Commode and the second and the s	K:10	Tile Works					-	-	-
a Conduit, Boxes and Fitting Ls 1.00 b Wires and Wiring Devices Ls 1.00			-	Ls	1.00		-	-	-
B Official solution and the product of th	K.12			-	1.00		-	-	-
b Writes and Wring Devices Ls 1.00 c Lighting Flature Ls 1.00 K13 1 unit Septic Vault LS 1.00 L CONSTRUCTION OF POWER HOUSE (Electrical Room-2.00x 1.60m) Image: Construct Tion OF Power House (Electrical Room-2.00x 1.60m) L Earthworks Image: Construct Tion OF Power House (Electrical Room-2.00x 1.60m) L Earthworks Image: Construct Tion OF Power House (Electrical Room-2.00x 1.60m) L Earthworks Image: Construct Tion OF Power House (Electrical Room-2.00x 1.60m) L Earthworks Image: Construct Tion OF Power House (Electrical Room-2.00x 1.60m) L Earthworks Image: Construct Tion OF Power House (Electrical Room-2.00x 1.60m) L Earthworks Image: Construct Tion OF Power House (Electrical Room-2.00x 1.60m) L Earthworks Image: Construct Tion OF Power House (Image: Construct Tion OF Power (Imag							-	-	
Link Septe Vault LS 1.00 1 CONSTRUCTION OF POWER HOUSE (Electrical Room-2.00x 1.60m) Image: Construct Tion OF Power House (Electrical Room-2.00x 1.60m) Image: Construct Tion OF Power House (Electrical Room-2.00x 1.60m) Image: Construct Tion OF Power House (Electrical Room-2.00x 1.60m) Image: Construct Tion OF Power House (Electrical Room-2.00x 1.60m) Image: Construct Tion OF Power House (Electrical Room-2.00x 1.60m) Image: Construct Tion OF Power House (Electrical Room-2.00x 1.60m) Image: Construct Tion OF Power House (Construct Tion OF Pow	b		-						
I CONSTRUCTION OF POWER HOUSE (Electrical Room-2.00x 1.60m) Image: Construction of Power House (Electrical Room-2.00x 1.60m) Earthworks cu m 4.00 L1 Excavation cu m 4.00 L2 Backfilling and Compacton cu m 4.26 L3 Concreting Works cu m 1.34 L4 Reinforcing Stell Bar, Grade 40 kg 143.22 L5 Installation and Removal of Formworks sq.m 13.76 L6 Masonry (100 mm CHB) sq.m 34.72 L8 Doors and Windows sq.m 1.00	¢						-		-
Earthworks cu m 4.00 L1 Excavation cu m 4.00 L2 Backfilling and Compacton cu m 4.26 L3 Concreting Works cu m 1.34 L4 Reinforcing Steel Bar, Grade 40 kg 143.22 L5 Installation and Removal of Formworks sq.m 13.76 L6 Masonry (100 mm CHB) sq.m 34.72 L8 Doors and Windows sq.m 1.00		1 unit Septic Vault		Lo	1.00				
L1 Excavation cum 4.00 L2 Backfilling and Compacton cum 4.26 L3 Concreting Works cum 1.34 L4 Reinforcing Steel Bar, Grade 40 kg 143.22 L5 Installation and Removal of Formworks sq.m 17.36 L6 Masonry (100 mm CHB) sq.m 34.72 L8 Doors and Windows sq.m 1.00	-		-		-				
L1 Exactlining and Compaction ou m 4.26	1.2			011.00	4.00				
L.1 Converting Works cu m 1.34 L.3 Converting Works kg 143.22 L.4 Reinforcing Steel Bar, Grade 40 kg 143.22 L.5 Installation and Removal of Formworks sq.m 13.76 L.6 Masonry (100 mm CHB) sq.m 17.76 L.7 Plastoring Works sq.m 34.72 L.8 Doors and Windows sq.m 1.00			-						
L4 Reinforcing Steel Bar, Grade 40 kg 143.22 L5 Installation and Removal of Formworks sq.m 13.76 L6 Masonry (100 mm CHB) sq.m 17.36 L7 Plastering Works sq.m 34.72 L8 Doors and Windows sq.m 1.00			-	_					
L-5 Installation and Removal of Formworks sq.m 13.76 L-6 Masonry (100 mm CHB) sq.m 17.36 L-7 Plastering Works sq.m 34.72 L-8 Doors and Windows sq.m 1.00									
L-6 Masonry (100 mm CHB) sq.m 17.36 L-7 Plastering Works sq.m 34.72 L-8 Doors and Windows sq.m 1.00									
L.7 Plaustoring Works sq.m 34.72 L.8 Doors and Windows sq.m 1.00			-				-		
L.8 Doors and Windows sq m 100									
L.0 DAAS BIN FEEDONO 19.00									
	L.8	Doors and Windows Roofing Works	-		and the second se				

		%			Direct	Cost	Adjusted	Adjuste
Item No.	Description	of Total	Unit	Quantity	Total Cost	Unit Cost	Unit Cost	Total Cost
	Electrical Works							
1.11	Conduit, Boxes and Fitting		Lo	1.00				
L.12	Wires and Wiring Devices		Ls	1.00		N		
L.13	Lighting Fatures7 Fodures		Ls	1.00				
1.14	Siteel Works					1		-
L.14	Steel Roof Truss - Rafter type		kg	40.98				
L.15	Structural Steel Purlins Security Grilles for Door		kg	80.07				_
4.10	Plainting Works		6.01	1.00				
L.17	Masonry Painting							
L.18	Wooden Painting		sq.m	34.72 9.86			-	-
4	SUPPLY AND INSTALL OF 5KW SOLAR PV SYSTEM includin	a Testing and C.	sq.m					
E 10 (1)	Lighting Fixtures/Fixture	g resung and Co	Ls	1.00				-
E 10 (m)	Installation of Solar PV Panels Mounts		LS	1.00				
E 10 (n)	Solar PV Modules, Devices and Accessories		LS	1.00				-
E 10 (0)	Batteries and Accessories							
			Ls	1.00				
E 10 (p)	Grounding System		set	1.00			-	-
E 10 (r) M	Perimeter Solar Lighting System 2 Units CONCRETE STAIR with Handrail		set	8.00				
M.1	Excavation			19.05		-		-
M.2	Backfilling and Compaction		cu m	19.05	-			
M.2 M.3			cum	15.25				
M.4	Embankment		cum	5.10				
111000	Concreting Works		cum	- Tel. 1. T. C.	1	-	-	
M.5	Reinforcing Steel Bar, Grade 40		kg	379.01				
M.6	Installation and Removal of Formworks		sq.m	20.30				
M.7	Masonry (100 mm CHB)		sq.m	27.60				
M.8	Plastering Works		sq.m	55.20				
M.9	Handrail		Ls	1.00				-
N	CONCRETE PATHWAY around Building (1.50m wide)		-	25.45				
N.1	Embankment		cu m				-	-
N.2	Concreting Works		cu m	14.04		-		-
N.3	Reinforcing Steel Bar, Grade 40		kg	1,253.70				-
N.4 P	Installation and Removal of Formworks		sq.m	6.24				
	CONSTRUCTION OF SCHOOL FLAGPOLE		Trace and	2.04		-		
P.1	Excavation		cu m	2.94				-
P.2	Backfilling and Compaction		cum	2.44		-		-
P.3	Concreting Works		cu m	0.74				
P.4	Reinforcing Steel Bar, Grade 40		kg	60.49		-	-	
P.5	Installation and Removal of Formworks		sq.m	4.40				-
P.6	G.I. Pipes Including Pulley		Ls	1.00		-		-

Prepared by:

CONTRACTOR

Section IX. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class "A" Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);
 or
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document;
 and
 - (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
 - and
 - □ (e) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; <u>and</u>
- □ (g) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided under the rules; <u>and</u>
- □ (h) Philippine Contractors Accreditation Board (PCAB) License;

or

Special PCAB License in case of Joint Ventures;

and registration for the type and cost of the contract to be bid; and

(i) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;

<u>or</u>

Original copy of Notarized Bid Securing Declaration; and

- (j) Project Requirements, which shall include the following:
 - a. Organizational chart for the contract to be bid;

- b. List of contractor's key personnel (*e.g.*, Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete gualification and experience data:
- c. List of contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be; <u>and</u>
- (k) Original duly signed Omnibus Sworn Statement (OSS);
 <u>and</u> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

(I) Certificate of Site Inspection

Financial Documents

- (m) The prospective bidder's audited financial statements, showing, among others, the prospective bidder's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; <u>and</u>
- (n) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC).

Class "B" Documents

If applicable, duly signed joint venture agreement (JVA) in accordance with RA No.
 4566 and its IRR in case the joint venture is already in existence;

<u>or</u>

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

II. FINANCIAL COMPONENT ENVELOPE

(p) Original of duly signed and accomplished Financial Bid Form; and

Other documentary requirements under RA No. 9184

- (q) Original of duly signed Bid Prices in the Bill of Quantities; and
- (r) Duly accomplished Detailed Estimates Form, including a summary sheet indicating the unit prices of construction materials, labor rates, and equipment rentals used in coming up with the Bid; and
- \Box (s) Cash Flow by Quarter.

Note:

- 1. Documents shall be properly tabbed.
- 2. Documents shall be arranged based on the order as presented.
- 3. Three (3) copies, including the original, of your proposal, shall be submitted on or before the deadline set for dropping of the bids.
- 4. Hard copy of the Philippine Bidding Documents (PBD) shall be included/inserted in the envelope of original copy of your proposal. Each page of the PBD shall be signed to vouch that the bidder has read and understood fully the content of the PBD.

