

### Republic of the Philippines DEPARTMENT OF EDUCATION

Region IX, Zamboanga Peninsula DIVISION OF ZAMBOANGA DEL NORTE Dipolog City

#### **PURCHASE REQUEST**

| epartment:        | Department of Education   | Contract Con |                  | -0159             | Be to B  |
|-------------------|---|--|------------------|-------------------|--|
| Section / Office: | Department of Education (DepEd)  ADMIN  | PR No:   |                  | ****** @          | 25-Apr-23  |
|                   | ADMIN   | SAI No:  |                  | ***               | Marks &  |
| Stock No.         | Item Description  | Quantity   | Unit             | Est. Unit<br>Cost | Total Cost   |
|                   | General Requirements (Temporary Facilities, Safety and Health, Project Billbo                   | 1.00   | lot              | 7,580.04          | 7,580.04   |
|                   | Concrete Works  |  |                  | and subject to    | APPAR A  |
| 2.020             | Portland Cement   | 30.00  | bag              |                   | 8,250.00   |
| 2.040             | Gravel  | 2.91   | cu.mi            | 1,500.00          | 4,365.00   |
| 2.050             | Washed Sand   | 1.45   | cu.m             | 1,500.00          | 2,175.90   |
| 1.040             | Gravel Bedding  | 1.00   | cu.m             | 1,500.00          | 1,500.00   |
| 3.000             | Rebar Works   | 196, 9.  | 900              | THE PARTY OF      | Burn de  |
| 3.090             | Deformed Round Bars, Grade 33   | 686.50   | kg               | \$ 86.00          | 54,952.00  |
| 3.120             | G.I. Tie Wire   | 11.45  | kg 🖁             | 82.50             | 944.96   |
| 4.000             | Formworks   | - 四  | 1 -1 -1          | 13 4 - W-1014     | hip a state or the   |
|                   | Tie Beam  | The state of the   | San San Sal      | AAAAAA            | IA WA  |
| 4.010             | Coco Lumber   | 101:33   | b diffe          | 100 11 (25/00)    | 2,533.35   |
| 4.030             | Plywood Ordinary, 1/2" x 4' x 8'  | 4 94   | pe s             | 795.00            | 10,335.00  |
| 4.040             | CWN, Assorted   | A STATE OF THE PARTY OF THE PAR | to editedos sili | 75.00             | THE RESERVE TO STATE OF THE PARTY OF THE PAR |
| 5.000             | Masonry Works   | St.  | Sep.             | が 機能              | 1 Alle.  |
|                   | Wall  | - Nie  | 4864             | A00-538 +002      | A .  |
| 5.030             | CHB 4" thk  | ** **44.00   | рс               | 15.00             | 660.0  |
| 5.020             | CHB 6" thk  | 399.00   | pc               | 21.00             | 8,379.0  |
| 2.020             | Portland Cement   | 26.00  | bag              | 275.00            | 7,150.0  |
| 2.050             | Washed Sand   | 2.84   | cu.m             | 1,500.00          | 4,260.0  |
| 5.040             | 10mm x 6m RSB   | 90.43  | kg               | 80.00             | 7,234.4  |
| 3.120             | G.I. Tie Wire   | 5.00   | kg               | 82.50             | 412.5  |
|                   | Plastering  |  |                  |                   |  |
| 2.020             | Portland Cement   | 12.00  | bag              | 275.00            | 3,300.00   |
| 2.050             | Washed Sand   | 1.02   | cu.m             | 1,500.00          | 1,530.00   |
|                   | 2" thick plain cement floor topping finish at transacting & servicing area incl landing & ramp. |  |                  |                   | .,,500.0   |
| 2.020             | Portland Cement   | 4.00   | bag              | 275.00            | 1,100.0  |
| 2.050             | Washed Sand   | 0.45   | cu.m             | 1,500.00          |  |

SPREED OF ALLESSEED OF

| Item Description   |  |  |   |                   |
|--|--|--|---|-------------------|
| and Windows  | 0  |  | F. C.                                   |                   |
| 44mm Thick Metal 5   | wuantity   | Unit   |   | Total Cost        |
| 100mm x 100 Panel with Door with hotton  |  |  |   |                   |
| Mortice with lever 13 Bearing Hips Abbet Jamb 45mm x 100mm with  |  | The Paris  | -                                       |                   |
| Fixed Glape W. 4190/161001, Abloy Cylinder Cycono  | 1.00   | set  | 20.020.00                               |                   |
| Steel Man Steel Man Steel Man  |  |  | 20,036.23                               | 20,036.2          |
| 50mms (0.40 x 1.50m)   | 200  |  |   |                   |
|  | 2.50   | set  | 386,40                                  | 772.8             |
| 300mm x 100mm C-Channel C - as purlins   | 22.50  |  |   |                   |
| vvelding Rod 700mm o.c. as rafter  |  |  | 98.00                                   | 2,213.8           |
| Primer, Epoxy  | 5560   |  | 98.00                                   | 4,897.0           |
| 1 1/2"G.I. Pipe Poit   |  |  | 234.00                                  | 1,872.0           |
| Primer, Epone  | 7.00   | gal  | 875.00                                  | 875.0             |
|  | 50 (March  | pc   | 1,475.00                                | 4,425.0           |
| Paint This   |  | ltr  | 218.75                                  | 437.5             |
|  | 2.00   | ltr  | 170.00                                  | 340.0             |
|  | 1.00   | ltr  | 90.00                                   | 90.0              |
| Ga. 26 Pre-painted metal roofing Super V-Crimp Twip Pith   |  |  |   | 90.0              |
| The state of the s | 10.80  | lm   | 403.00                                  | 4,352.4           |
| Teckscrew 2-1/2"   | 3.00   | рс   |   |                   |
| Roof Sealant   | 202.00   | рс   |   | 2,490.0           |
| Blind Rivets   | 1.00   | L  |   | 505.0             |
| Pre-painted Gutter   | 112.00   | рс   |   | 408.0             |
|  | 2.20   | m  |   | 35.8              |
|  | 4.00   | DC   |   | 770.0             |
|  | 6.00   | The state of   |   | 2,990.0           |
|  |  |  | 04.00                                   | 504.0             |
| Model Certent Ceiling Board (4.5mm thk)  | 4.00   | DC   | 010.00                                  |                   |
| metal Double Furring Channel (19mm x 50mm x 3m x 0.5mm thk)  |  | 15.30  | 1 0 0 0 0                               | 2,472.0           |
| Metal Carrying Channel (12mm x 38mm x 3m x 0.8mm thk)  |  |  |   | 2,632.0           |
| Wall Angle 1" x 1" x 10'   | 180000   |  | 100 00000000000000000000000000000000000 | 4,361.0           |
| Preformed Wire Clip  | STATE OF THE PARTY |  | 89.00                                   | 534.0             |
| Steel Angle  |  | pc   | 16.00                                   | 800.0             |
| Rod Suspension Hanger with Adjustment Spring   |  | pc   | 12.00                                   | 600.0             |
| Concrete Nails   | 44.00  | pc   | 78.00                                   | 3,432.0           |
| Blind Rivets   | 2.50   | kg   | 105.50                                  | 263.7             |
| Electrical Works   | 748.00   | pc   | 0.32                                    | 239.3             |
|  |  |  |   |                   |
|  | 1.00   | set  | 1,200.00                                | 1,200.0           |
|  | 1.00   | set  | 110.00                                  | 110.0             |
|  | 2.00   | sets   | 294.00                                  | 588.0             |
| Telephone plate cover, National  | 1.00   | set  |   |                   |
| 20mm dia PVC pipe with fittings  |  |  | Carried II.                             | 3.000.0           |
| 1"x8' plastic moulding, Atlanta, white   |  |  |   | 3,000.0           |
| 3.5mm dia THHN wire (solid)  |  |  |   | 672.0             |
|  |  |  |   | 2,210.3           |
| KWHM, single phase, 230VAC, Class 100  | 62,00  | m  | 21.00                                   | 1,302.0           |
|  | Admin Thick Metal Flushed Type Door with bottom louver rockwool insulated Ga. 18 G.I. Door Panel With Ga. 16 Rabbet Jamb 45mm x 100mm with Mortice with Lever, 4190/161001, Abloy Cylinder - CY028C  Steel Works  50mm x 75mm C-purins @ 700mm o.c. as purins  50mm x 100mm Sc. Works  50mm x 100mm C-charnel @ 700mm o.c. as rafter  Welding Rod  Primer, Epoxy  1 1/2°G.I. Pipe Ralling with flange at ramp.  Primer, Epoxy  1 1/2°G.I. Pipe Ralling with flange at ramp.  Primer, Epoxy  50mm x 20mm C-charnel @ 700mm o.c. as rafter  Roding Works  Ga. 26 Pre-painted metal roofing Super V-Crimp Twin-Ribbed (Color: Green)  Pre-Painted Preformed Flashing, 0.610m x 2.440m  Teckscrew 2-1/2"  Roof Sealant  Blind Rivets  Pre-painted Gutter  3" Pvc Pipe downspout  90 deg elbow  Ceiling Finishes  Fiber Cement Ceiling Board (4.5mm thk)  Metal Double Furring Channel (12mm x 38mm x 3m x 0.5mm thk)  Metal Carrying Channel (12mm x 38mm x 3m x 0.8mm thk)  Wall Angle 1" x 1" x 10'  Preformed Wire Clip  Steel Angle  Rod Suspension Hanger with Adjustment Spring  Concrete Nalls  Blind Rivets  Electrical Works  Electrical Works  Electrical Works  Electrical Works  Electrical Works  Electrical Works  Electrical Works Holistonel  1"x8" plastic moulding, Atlanta, white   | Admin Trick Metal Flushed Type Door with bottom louver reckwool insufated Sa. 18 G.I. Door p. and with Ga. 16 Rabbet Jamb 45mm x 100mm with 100mm x 100mm c-charnel @ 700mm o.c. as purins | Coors and Windows                       | Coors and Windows |

| Stock No.    | Item Description   |   |        |           |              |
|--------------|--|---|--------|-----------|--------------|
| 10.130       | 2"x4" Surface Mountain   | Quantity  | Unit   | Est. Unit | Total Cost   |
|              |  | 3.00  | pcs    | Cost      |              |
| 13.000       | Miscellaneous items (Tox & screws, G.I. tie wire, etc.)  Finishing Works           | 2.00  |        | 49.50     | 148.50       |
| .0.000       | Finishing Works  |   | pc     | 51.50     | 103,00       |
|              | Painting Wash  | 1.00  | lot    | 100.00    | 100,00       |
| 13.020       | Painting Works (Wall, parapet & ceiling)   |   |        |           |              |
| 13.030       |  |   |        |           | Maria estata |
| 13.040       | masonry Putty  | 4.00  | gal    | 617.50    | 2,470.00     |
|              | Latex, Semi Gloss (color: off-white)   | 1.00  | gal    | 500.00    |              |
|              | Automotive lacquer paint finish at fire rated steel door (color: transformer gray) | 4.00  | gal    | 672.50    | 500.00       |
| Tom - Tritle | (color: transformer gray)  |   |        | 072.00    | 2,690.00     |
|              | Epoxy paint finish at servicing & transaction area (color: LBP green) Floor Finish | 4.20  | sq.m   | 125.00    | 525.00       |
|              | green) Floor Finish  | 10.34   | sq.m   | 115.00    | 1,189.07     |
|              |  |   |        |           |              |
|              |  | A) Materia  | ls     |           | 211,750.27   |
|              |  | B) Labor i  | y ADMI | V V       |              |
|              |  | C) VAT 12   | 2%     |           | 25,410.03    |
|              |  |   |        |           | 7 2          |
|              |  |   |        |           |              |
|              |  |   |        |           | 6(27)4(10)   |
|              |  |   |        |           |              |
|              |  |   |        |           | Long 1       |
|              | TWO HUNDRED THIRTY SEVEN THOSE   |   |        |           | -45          |
|              | TWO HUNDRED THIRTY SEVEN THOUSAND ONE HUNDRED                                      | SIXTY AND 31  | /100   |           | 237,160.31   |
| URPOSE:      | CONSTRUCTION OF LANDBANK ATM BOOTH   |   |        |           | 1            |
|              | Requested by:  |   |        |           |              |
| nature:      | J. J.  | Approved by:  |        |           |              |
| nted Name:   | HELEN E. TANGON  | POVO TIS  |        |           |              |
| signation;   | Administrative Officer V   | ROY C. TUBALLA, EMD, JD, CESO VI<br>Schools Division Superintendent |        |           |              |
| te:          | April 25, 2023   | 00  | HAS    | - Char    | tendent      |
|              |  |   |        | propo-1   |              |



## Republic of the Philippines DEPARTMENT OF EDUCATION Region IX, Zamboanga Peninsula SCHOOLS DIVISION OF ZAMBOANGA DEL NORTE



#### REQUEST FOR QUOTATION

The Department of Education – Zemboanga Del Norte (DEPED) – Bids and Awards Committee (BAC) will undertake a Small Value Procurement with the title Construction of Landbank ATM Booth (PR No. 2023-04-0159) for FY 2023 in accordance with Section 53.9 of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

Please quote your best offer for the item described herein, subject to the Terms and Conditions provided at the next page of this Request for Quotation (RFQ). Submit your quotation duly signed by you or your duly authorized representative not later than 1 5 20230:00 A.M. at the BAC Office, Schools Division of Zemboanga del Norte, Capitol Drive Estaka Dipolog City. Open submission may be submitted, manually or through email at zn.bac@deped.gov.ph

Zn. pacigroeped.qov.pn
A copy of your 2023 Business/Mayor's Permit, PhilGEPS Registration Number, Tax Clearance, DTI/SEC/CDA, Certificate of Registration and Omnibus Sworn Statement is also required to be submitted along with your quotation/proposal.

For any clarification, you may contact us at cellphone no. 0935-399-3224.

JUDITALY ROMAGUERA CESO VI Assistant Schools Division Superintender

Assistant Schools Division Superintendent BAC CHAIRPERSON 2023

| No. | Unit     | DESCRIPTION OF ARTICLES   | Quantity | Unit Price | Total          |
|-----|----------|---|----------|------------|----------------|
| NO. | lot      | General Requirements (Temporary Facilities, Safety and Health, Project  | 1.00     |            |                |
|     | 101      | Billboard   |          |            |                |
|     |          | Concrete Works  | 30.00    |            |                |
|     | bag      | Portland Cement   | 2.91     |            |                |
|     | cu.m     | Gravel Washed Sand  | 1.45     |            |                |
|     | cu.m     | Gravel Bedding  | 1.00     |            |                |
|     | cu.m     | Rebar Works   |          |            |                |
|     | kg       | Deformed Round Bars, Grade 33   | 686.90   |            |                |
|     | kg       | G.I. Tie Wire   | 11.45    |            |                |
|     | ng       | Formworks   |          |            |                |
|     |          | Tie Beam  |          |            |                |
|     | Bd.ft    | Coco Lumber   | 101.33   |            |                |
|     | рс       | Plywood Ordinary, ½" x 4' x 8'  | 13.00    |            |                |
|     | kg       | CWN, Assorted   | 14.50    |            |                |
|     | 9        | Masonry Works   |          |            |                |
|     |          | Wall  |          |            |                |
|     | pc       | CHB 4" thk  | 44.00    |            |                |
|     | pc       | CHB 6" thk  | 399.00   |            |                |
|     |          | Portland Cement   | 26.00    |            |                |
| -   | bag      | Washed Sand   | 2.84     |            |                |
|     | cu.m     | 10mm x 6m RSB   | 90.43    |            |                |
| -   | kg       | G.I. Tie Wire   | 5.00     |            |                |
| -   | kg       |   |          |            |                |
| -   | Property | Plastering Plastering   | 12.00    |            |                |
|     | bag      | Portland Cement   | 1.02     |            |                |
|     | cu.m     | Washed Sand  2" thick plain cement floor topping finish at transacting & servicing area incl  |          |            |                |
|     |          | landing & ramp  |          |            |                |
|     | bag      | Portland Cement   | 4.00     |            |                |
| -   | cu.m     | Washed Sand   | 0.45     |            | -              |
|     | 00.111   | Doors and Windows   |          |            |                |
|     | set      | 44mm Thick Metal Flushed Type Door with bottom louver rockwool insulated Ga. 18 G.I. Door Panel with Ga. 16 Rabbet Jamb 45mm x 100mm with 100mm x 100mm S/S Bearing Hinges (Color: Transformer Gray) Abloy Mortice with lever. 4190/161001, Abloy Cylinder – CY028C | 1.00     |            |                |
|     | set      | Fixed Glass Window (6mm thick) on Metal Frame (0.40 x 1.50m)  | 2.00     |            |                |
|     |          | Steel Works   |          |            |                |
|     | kg       | 50mm x 75mm C-purlins @ 700mm o.c. as purlins   | 22.59    |            |                |
|     | kg       | 50mm x 100mm C-Channel @ 700mm o.c. as rafter   | 49.97    |            | 2.38           |
|     | kg       | Welding Rod   | 8.00     |            |                |
| +   | gal      | Primer, Epoxy   | 1.00     |            |                |
|     | pc       | 1 ½* G.I. Pipe Railing with flange at ramp.   | 3.00     |            |                |
|     | ltr      | Primer, Epoxy   | 2.00     |            |                |
| +   | ltr      | Enamel, Semi Gloss  | 2.00     |            |                |
| -   | Itr      | Paint Thinner   | 1.00     |            |                |
| -   | 10       | Roofing Works   |          |            |                |
| -   | Im       | Ga. 26 Pre-painted metal roofing Super V-Crimp Twin-Ribbed (Color: Green)   | 10.80    |            |                |
|     | lm       | Pre-Painted Preformed Flashing, 0.610m x 2.440m   | 3.00     |            |                |
|     | pc       | Teckscrew 2-1/2"  | 202.00   |            |                |
|     | pc       |   | 1.00     |            |                |
|     | L        | Roof Sealant  | 112.00   |            |                |
|     | рс       | Blind Rivets  | 2.20     |            |                |
|     | m        | Pre-Painted Gutter  | 4.00     | 100        | in a           |
| 8 7 | pc       | 3" PVC Pipe downspout   | 6.00     |            | THE RESERVE TO |

|            | Ceiling Finishes   |  |                       |  |
|------------|--|--|-----------------------|--|
| pc         | Fiber Cement Ceiling Board (4.5mm thk)   |  |                       |  |
| pc         | Metal Double Furring Channel (19mm x 5omm x 3m x 0.5mm thk)                                      | 4.00   |                       |  |
| рс         | Metal Carrying Channel (12mm x 38mm x 3m x 0.8mm thk)  | 14.00  |                       |  |
| рс         | Wall Angle 1" x 1" x 10'   | 14.00  |                       |  |
| рс         | Preformed Wire Clip  | 6.00   |                       |  |
| рс         | Steel Angle  | 50.00  |                       |  |
| рс         | Rod Suspension Hanger with Adjustment Spring   | 50.00  |                       |  |
| kg         | Concrete Nails   | 44.00  |                       |  |
| pc         | Blind Rivets   | 2.50   |                       |  |
|            | Electrical Works   | 748.00   |                       |  |
| set        | ECB 20AT/50AF, 2P, 240VAC, NEMA 1  | s bas allogned   | JAN Juntain           | Britana 14   |
| set        | Single pole switch in one plate cover  | 1.00   | raco enti ser         | the set to   |
| set        | Dupley three proposed ecoverings and a first transfer of the cover                               | 1.00   | LEGISTER OF           | PAIDZ IS   |
| set        | Duplex three-pronged convenience outlet, w/ plate cover National Telephone plate cover, National | 2.00   | Victorian et          | DINIS /30  |
| length     | 20mm dia PVC pipe with fittings  | 1.00   | of manager            |  |
| length     | 1"x8" plastic moulding, Atlanta, white   | 20.00  |                       | Manager A  |
| m          | 3.5mm dia THHN wire (solid)  | 6.00   |                       |  |
| m          | CAT 5e detaline cable  | 62.00  |                       |  |
| set        |  | 62,00  |                       | Lane We  |
| pc         | KWHM, single phase, 230VAC, Class 100 2"x4" Surface Mounted Utility Box                          | 1.00   | UPP VILL SERISC       | o parties  |
| pc         | Electrical tapes   | 3.00   | TH Grangera           | The same of the sa |
| lot        |  | 2.00   | A TENNIUNCA           | THE STREET STREET  |
| PHEOLITER  | Miscellaneous items (Tox & screws, G.I. tie wire, etc.)  Finishing Works                         | 1.00   | mistage sing          | UNITED AT  |
| 88 1000 Un | Painting Works (Wall, parapet & ceiling)   | A TOTAL DESIGNATION OF THE PARTY OF THE PART | Salah Birlog Ay       | L DWAY SE  |
| gal        | Latex, Flat (color: off white)   | 100  | WE DESIGNATION AND IN | THE REAL PROPERTY.   |
| gal        | Masonry Putty  | 4.00   |                       |  |
| gal        | Latex, Semi Gloss (color: off white)   | 1.00   |                       |  |
| sq.m       | Automotive lacquer paint finish at fire rated steel door (color: transformer gray)               | 4.00   | ed liarle ele         | 100  |
| sq.m       | Epoxy paint finish at servicing & transaction area (color: LBP green) Floor Finish               | 4.20   | Ten libria for        | B THE F  |
| oqan       | ***NOTHING FOLLOWS***  | 10.34  | torn is used a        | Sanif C  |
|            | TOTAL  | der in gesorden  | Hora golische         | April .  |

\*The above quoted prices are inclusive of all costs and applicable taxes.

The Chairman

Bids and Awards Committee

Division of Zamboanga del Norte Capitol Drive, Estaka, Dipolog City Madame:

Pursuant to the terms and conditions of this bidding, I/We hereby submit my/our bid proposal with the prices opposite each item for which bidder's bond of \_\_\_\_\_\_ is herewith proposed/enclosed as guaranty for the faithful compliance of my/our obligations.

Very truly yours,

Name & Signature of Bidder/Offeror

# Republic of the Philippines DEPARTMENT OF EDUCATION Region IX, Zamboanga Peninsula DIVISION OF ZAMBOANGA DEL NORTE Dipolog City 7100

#### **CERTIFICATE OF CANVASS**

**THIS IS TO CERTIFY** that the foregoing canvass / quotation was made in accordance with the government rules and regulation on any contract into and contain herein the following pertinent facts.

| NAME OF DEALER  | DATE RECEIVED   | SIGNATURE  |
|---|---|--|
|   |   |  |
|   |   |  |
|   | 14  |  |
| R   | ADJIE G. ENERIO<br>Canvasser  |  |
|   | hilda   |  |
|   | Date of Canvass   |  |
|   |   |  |
| В   | IDDERS CERTIFICATE  |  |
| THIS IS TO CERTIFY that th  |   | located at   |
| Department of Education – Zamboanga de  | hally received the Invitation to Bid  | the second secon |
| and further certifies the   |   | the Philippi of the Lifety of  |
| 1. The signatures affixed in the I  | invitation to Rid/Request for quotat  | ions as hidder is authentic as   |
| belonging to me or my authorized  |   | iono do pioce is decirate di   |
| 2. That all the data/information and  | quotations reflected therein are true   | and correct:   |
|   |   |  |
| <ol><li>That each of the documents subroriginal copy or a true and faithful</li></ol> | nitted in satisfaction of the eligibility in the control of the original and the control of the original and the control of the original and the control of |  |
| provided therein are true and con   | rect;   |  |
| Issued this day of  | , in the City of Dipolog, Pi  | rovince of Zamboanga del Norte   |
|   |   |  |
|   |   |  |
| (Name o   | of the Owner/Authorized Representati  | ve)  |
|   |   |  |
|   |   |  |
|   | (Signatura)   |  |
|   | (Signature)   |  |
|   | (Signature)   |  |